

Search over 350,000 MSDS's
to get the MSDS you need FAST!



Material Safety Data Sheet

SECTION I - Material Identity
SECTION II - Manufacturer's Information
SECTION III - Physical/Chemical Characteristics
SECTION IV - Fire and Explosion Hazard Data
SECTION V - Reactivity Data
SECTION VI - Health Hazard Data
SECTION VII - Precautions for Safe Handling and Use
SECTION VIII - Control Measures
SECTION IX - Label Data
SECTION X - Transportation Data
SECTION XI - Site Specific/Reporting Information
SECTION XII - Ingredients/Identity Information

SECTION I - Material Identity

Item Name	
Part Number/Trade Name	MOTSENBOCKER'S LIFT OFF #4
National Stock Number	8010P291USAM
CAGE Code	MOTSE
Part Number Indicator	A
MSDS Number	189719
HAZ Code	B

SECTION II - Manufacturer's Information

Manufacturer Name	MOTSENBOCKER'S LIFT OFF
City	SAN DIEGO
State	CA
Country	US
Zip Code	92169
Emergency Phone	800-424-9300 CHEMTREC
Information Phone	858-581-0222 FAX 858-483-6965

MSDS Preparer's Information

Date MSDS Prepared/Revised	25FEB00
Active Indicator	Y

Alternate Vendors

SECTION III - Physical/Chemical Characteristics

Appearance/Odor	CLEAR LIQUID, MILD ODOR
Boiling Point	190 F
Melting Point	NR
Vapor Pressure	NR
Vapor Density	> AIR
Specific Gravity	1.0
Solubility in Water	MIXES WITH
Chemical pH	6.08
Container Type	R
Container Pressure Code	4
Temperature Code	8
Product State Code	L

SECTION IV - Fire and Explosion Hazard Data

Flash Point Method	UNK
Extinguishing Media	THIS WATER-BASED PRODUCT HAS BEEN TESTED BY DOT METHODS AND SHOWN NOT TO SUPPORT COMBUSTION
Special Fire Fighting Procedures	NONE
Unusual Fire/Explosion Hazards	NONE

SECTION V - Reactivity Data

Stability	YES
Stability Conditions to Avoid	STORE IN COOL, DRY PLACE. DO NOT USE ON HOT SURFACES OR IN CLOSED AREAS WITHOUT ADEQUATE VENTILATION
Materials to Avoid	NR
Hazardous Decomposition Products	NR
Hazardous Polymerization	NR
Polymerization Conditions to Avoid	NR

SECTION VI - Health Hazard Data

Route of Entry: Skin	YES
Route of Entry: Ingestion	YES
Route of Entry: Inhalation	YES
Health Hazards - Acute and Chronic	[SKIN] CONTACT WITH PRODUCT CAN DRY AND DEFAT SKIN, CAUSING IRRITATION OR DERMATITIS. [EYES] CAUSES EYE IRRITATION [INGEST] MAY CAUSE STOMACH DISTRESS [INHAL] PROLONGED EXPOSURE TO VAPORS MAY CAUSE DIZZINESS
Symptoms of Overexposure	SEE ABOVE

Medical Cond. Aggravated by Exposure	NR
Emergency/First Aid Procedures	[EYES] FLUSH IMMEDIATELY WITH PLENTY OF COOL RUNNING WATER. REMOVE CONTACT LENSES. CONTINUE FLUSHING FOR 15 MIN. [SKIN] FLUSH SKIN WITH PLENTY OF COOL RUNNING WATER. WASH THOROUGHLY WITH SOAP AND WATER. WASH CONTAMINATED CLOTHING WELL BEFORE RE-USE. [INGEST] RINSE MOUTH, THEN DRINK 1 OR 2 LARGE GLASSES OF WATER. DO NOT INDUCE VOMITING. NEVER GIVE ANYTHING BY MOUTH TO AND UNCONSCIOUS PERSON. [NOTE] IF IRRITATION OR DISCOMFORT PERSISTS, CALL A PHYSICIAN

SECTION VII - Precautions for Safe Handling and Use

Steps if Material Released/Spilled	VENTILATE, MOP UP. SMALLER AMOUNTS MAY BE FLUSHED SAFELY TO THE SEWER
Neutralizing Agent	NR
Waste Disposal Method	CONSULT STATE/LOCAL AUTHORITIES FOR LIMITS ON DISPOSAL OF CHEMICAL WASTE
Handling and Storage Precautions	NR
Other Precautions	NR

SECTION VIII - Control Measures

Respiratory Protection	NR
Ventilation	VENTILATE TO MAINTAIN EXPOSURE BELOW LIMITS
Protective Gloves	RUBBER
Eye Protection	SPLASH PROOF GLASSES
Other Protective Equipment	NR
Work Hygenic Practices	NR

SECTION IX - Label Data

Protect Eye	NO
Protect Skin	NO
Protect Respiratory	NO
Chronic Indicator	UNKNOWN
Contact Code	UNKNOWN
Fire Code	UNKNOWN
Health Code	UNKNOWN
React Code	UNKNOWN

SECTION X - Transportation Data

Container Quantity	22
Unit of Measure	OZF

SECTION XI - Site Specific/Reporting Information

Volatile Organic Compounds (P/G)	.6676
Volatile Organic Compounds (G/L)	80.0044

SECTION XII - Ingredients/Identity Information

Ingredient #	01
Ingredient Name	2-PROPANONE (<10%)
CAS Number	67641
Proprietary	NO
Percent	10
OSHA PEL	2400 MG/M3
ACGIH TLV	1780 MG/M3
Recommended Limit	NONE SPECIFIED
Ingredient #	02
Ingredient Name	TRADE SECRET INGREDIENTS
CAS Number	1002
Proprietary	YES
Percent	0
OSHA PEL	NR
ACGIH TLV	NR
Recommended Limit	NONE SPECIFIED
